

Tropical Marine Fish

How to care for jawfish & dartfish

Dartfish are from the family *Ptereleotridae* and include species such as red firefish (*Nemateleotris magnifica*) and purple firefish (*Nemateleotris decora*). Jawfish are from the family *Opistognathidae*, and include species such as yellowhead jawfish (*Opistognathus aurifrons*) and blue-spotted jawfish (*Opistognathus rosenblatti*). Always consult your OATA retailer before purchasing any dartfish or jawfish to ensure that they will mix with current tank mates.

Thanks to TMC for use of this picture



Water requirements

Dartfish and jawfish are usually undemanding of water chemistry and their suggested parameters are shown below. These parameters are a general guide for this group of fish, so it is important to check with your OATA retailer for any species-specific requirements before purchasing. Please also note that if keeping these fish in a reef aquarium, some parameters will need to be altered to accommodate more sensitive species.

Salinity:	Between 1.020-1.025
Temperature:	Between 24-26°C
pH:	7.9-8.3
Ammonia:	Zero mg per litre
Nitrite:	Zero mg per litre
Nitrate:	Not to exceed 50 mg per litre
Carbonate hardness:	Hard (8-12°dkH)
Calcium:	Between 380-450 ppm
Magnesium:	Between 1250-1350 ppm

Biology

Dartfish stay relatively small and are unlikely to grow over 10cm. The most popular species in the trade are the red firefish and the purple firefish. Jawfish grow to about 10cm and the most common species in the trade is yellowhead jawfish. Both jawfish and dartfish can live for many years in a well-matured set-up with good water quality.

Dartfish live in caves or crevices and spend their time sitting in the water column waiting for planktonic food to drift by. When frightened, they will quickly dart into their burrow, a behaviour which gives them their name. Jawfish live in burrows dug into the gravel and will spend most of their time very close to this, and frequently maintaining it. This interesting behaviour is what makes them a popular species. Some dartfish can



Sept 2022

www.ornamentalfish.org info@ornamentalfish.org

Copyright: OATA, Wessex House, Station Road, Westbury, Wiltshire, BA13 3JN

live together in groups, especially when younger. However, different species should not be mixed, or only kept as part of a male and female pair.

Jawfish are usually best kept alone or as part of a male and female pair. Small groups can be kept together if they are all added at once and the footprint of the aquarium is large enough and has sufficient open space for them to be able to construct a burrow.

Sexing jawfish and dartfish is difficult unless they are in breeding condition.

Aquarium requirements

As a general rule, you should within reason, buy an aquarium as large as possible. It is recommended that an aquarium of at least 60 litres is used for an individual dartfish. An aquarium with a footprint of at least 60cm by 90cm is recommended to provide enough territory for an individual jawfish. Obviously, the aquarium will need to be even larger if multiple individuals are to be kept together or if you wish to keep dartfish or jawfish with other species. A larger aquarium will also provide more stability to environmental conditions such as temperature and water quality. Whatever the size, **a filter is essential**. For marine set-ups this can be in the form of live rock with sufficient water flow, an internal or external filter, or a sump-based filter. A protein skimmer can also be a beneficial for maintaining water quality as it will help to remove dissolved organic waste before it can break down into more harmful substances.

Due to their natural behaviour, live or artificial rockwork is essential for dartfish and this should be arranged to provide crevices, overhangs and outcrops to allow them to find cover as required. They may also appreciate a slightly thicker sand bed (4cm) than normal to allow them to create a home under rocks, if required.

Jawfish will appreciate complex rockwork to make them feel secure, but their most important requirement is a deep sand bed of at least 10cm. This should be made of fine coral sand, but should also incorporate some larger pieces of coral gravel to allow them to structure their burrows effectively.

For both jawfish and dartfish, there should be a moderate water flow to provide good surface movement, to ensure detritus doesn't accumulate and to allow individuals to feed naturally. An aquarium lid or cover is essential as both jawfish and dartfish will jump, especially if startled. A heater is required to maintain a suitable temperature all year round. To minimise fluctuations in water temperature, the aquarium should not be situated near any draughts or heat sources. It should also be out of direct sunlight and away from loud noises, vibrations and sudden movements. Overhead tank lighting is recommended to maintain a correct day-night cycle. This will not need to be particularly bright for jawfish or dartfish alone but may need to be brighter if keeping with coral species - see our coral care sheets for more information.



Sept 2022

www.ornamentalfish.org info@ornamentalfish.org

Copyright: OATA, Wessex House, Station Road, Westbury, Wiltshire, BA13 3JN

Water testing kits are essential so that water quality can be checked on a regular basis (once a week) to ensure it does not slip below the water requirements stated earlier.

Introducing your fish

Before adding any fish, seek advice from your OATA retailer to make sure that your aquarium is an appropriate size for the jawfish or dartfish you would like to keep. Check that the water quality in your aquarium is suitable i.e. levels of ammonia and nitrite are zero. Only increase the number of fish you have in your aquarium slowly as the population of beneficial bacteria established when maturing your aquarium filter need to increase every time more fish are added and feeding increases. Overstocking or stocking your aquarium too quickly can result in 'new tank syndrome'. This occurs when there are not enough nitrifying bacteria to cope with the increased waste from the fish, leading to unhealthy levels of ammonia and nitrite, which may cause fish to become ill or die.

Healthy fish have clear bright eyes, undamaged fins, intact scales, no ulcerations or bumps, appropriate swimming behaviour and steady breathing. Do not purchase a seemingly healthy fish if sickly fish are present in the tank with it. Signs of disease can include clamped fins, flicking against gravel or décor and shimmying (shaking). Diseases can be easily carried by fish that do not show any clinical signs. If in doubt, ask your OATA retailer for advice as they will have in-depth knowledge and experience.

Your OATA retailer will usually sell your fish to you in a plastic bag, try not to keep them in this for too long. Once purchased, take your new fish home as quickly as possible because fish are easily stressed by bright lights, extreme temperatures, noise and movement.

Once home, your fish will need to acclimatise to their new environment and a common method of doing this is known as the 'floating bag' method. Switch off the aquarium lights and take the bag containing your new fish out of its outer wrappings carefully, avoiding exposure to bright light. Float the bag in the water of your tank to ensure the temperature in the bag is the same as the aquarium water. After 10 minutes, slowly introduce small amounts of aquarium water into the bag containing the fish for up to 30 minutes. Once complete, carefully release the fish into the aquarium whilst introducing as little bag water into the aquarium as possible. This is especially important if keeping fish with any invertebrate species as some retailers run copper in their systems, which is toxic to invertebrates. After this, dispose of the bag and any excess water appropriately.

For sensitive species or to ensure retailer water does not enter your aquarium, a better method might be the use of drip acclimation. This could be achieved by keeping the fish in the container in which it is sold and a small airline siphon started to drip water into the container, slowly changing the water parameters to that of the aquarium. Ensure that the temperature does not fall too low during this procedure. Once conditions match, carefully net the fish from the container into the aquarium. Dispose of the water in the transport



Sept 2022

www.ornamentalfish.org info@ornamentalfish.org

Copyright: OATA, Wessex House, Station Road, Westbury, Wiltshire, BA13 3JN

container appropriately. Monitor your new fish carefully for the first week, paying particular attention to water quality. If in doubt, contact your OATA retailer for advice.

If possible, quarantining new livestock in a separate aquarium for at least a week before they enter the main tank can help reduce any risk of disease spread from new inhabitants. Ask your OATA retailer for advice on this topic.

Maintenance

At least once every week, a partial water change of 25% is strongly recommended (a siphon device is useful to remove solid waste from the gravel). Filters should be well maintained, with regular checking and cleaning to prevent blockages. If the filter needs cleaning, do not run it under the tap because any chlorine or chloramine present may kill the beneficial bacterial population that has established in the media. Instead, it should be rinsed lightly in the tank water which is removed during a partial water change as this reduces the amount of bacteria which are lost. Protein skimmers should be regularly cleaned to maintain their performance.

Good husbandry is essential as jawfish or dartfish can be stressed by even the smallest amounts of ammonia and nitrite which may then cause them to develop various diseases. Test the water to monitor the ammonia, nitrite and nitrate levels, together with pH and carbonate hardness every week, especially during initial set-up and after adding extra fish. It is also important to regularly monitor salinity and use reverse osmosis water to replace any water lost through evaporation.

What to watch out for

All fish will have slight variations in their behaviour or appearance, but keeping an eye on any changes in the following will help to identify any potential problems before they become a real health issue:

- swimming behaviour – hanging at the surface, sitting on the bottom or erratic swimming
- colour – turning a darker or paler colour than normal
- temperament – changes in level of aggression or hiding more than normal
- breathing – gill covers moving at a slower or faster rate than normal
- appearance – development of white spots or fluffy growths, loss of fins or scales
- condition – increase or decrease in body weight and condition
- feeding – reduced intake or lack of interest in food

If you are concerned about the health of any of your livestock, then test your water quality and contact your OATA retailer for further guidance.



Sept 2022

www.ornamentalfish.org info@ornamentalfish.org

Copyright: OATA, Wessex House, Station Road, Westbury, Wiltshire, BA13 3JN

Feeding

Jawfish will appreciate a diet of frozen meaty items including krill, mysis and enriched brine shrimp. This may have to be fed right above their burrow by using a pipette or turkey baster so that tank mates do not out-compete them for the food. Dartfish will usually consume prepared pellets or flake, but they will also appreciate smaller frozen items such as frozen copepods, enriched brine shrimp and finely chopped mysis or krill.

Jawfish and dartfish should only be fed what they can eat within a few minutes, twice a day. Take care not to overfeed as this can lead to a build-up of uneaten food which breaks down releasing toxic waste into the water. If in doubt, ask your OATA retailer for advice on appropriate feeding levels.

Compatibility

Due to their requirement for a deeper sand bed, many aquarists may choose to keep jawfish in a specialist set up. However, they can be mixed with docile fish species, although they may be a threat to small shrimp. Dartfish can easily be intimidated in a tank with boisterous inhabitants so they should be mixed with fish that will allow them to come out to feed, such as cardinalfish or small gobies.

Breeding

Although there are some successful reports of dartfish breeding, it is highly unlikely in a home aquarium. The female deposits eggs into a cave which are then tended to by the male. When these eggs hatch in the wild, these larvae drift in ocean currents as they develop. However, they are too delicate to survive in a home aquarium as they are likely to get sucked into filters and pumps or eaten by other aquarium inhabitants. They also require specific live feeds and so a specialist set up is required to raise them to adulthood. Jawfish breed in a very different way, with the male incubating the fertilised eggs in his mouth until they hatch. Similarly, the young are not strong swimmers and will require microscopic live foods which means successful breeding in a home aquarium is unlikely.

Checklist

Before purchase make sure:

1. You have the appropriate equipment and position for the aquarium.
2. You have researched all the species in which you are interested and your final choices are all compatible.
3. You are familiar with how to transport and release your fish.
4. You are aware of the daily, weekly and monthly maintenance your aquarium will require.



Sept 2022

www.ornamentalfish.org info@ornamentalfish.org

Copyright: OATA, Wessex House, Station Road, Westbury, Wiltshire, BA13 3JN

5. You are prepared to look after your fish properly for the duration of their life.

Shopping List

- ▶ Glass or acrylic aquarium
- ▶ Filter*
- ▶ Heater*
- ▶ Lighting*
- ▶ Gravel or sand
- ▶ Aquarium salt and a hydrometer or refractometer
- ▶ Access to reverse osmosis water or a reverse osmosis unit
- ▶ Water testing kits (ideally ammonia, nitrite, nitrate, pH and water hardness)
- ▶ Gravel cleaner/siphon cleaning device (recommended)
- ▶ Aquarium decorations
- ▶ Bucket for water changes
- ▶ Live or artificial rock
- ▶ Protein skimmer* (optional but recommended)
- ▶ Ultraviolet steriliser (optional but recommended)

*may be included in branded aquarium sets but can be purchased separately.

Before purchase make sure:

- ▶ The aquarium is of a suitable size that ideally can accommodate the fish once they are fully grown
- ▶ Water parameters are as advised in this leaflet.
- ▶ Aquarium is cycled and ready to receive your fish.

Always buy...

test kits and regularly check the water for ammonia, nitrite, nitrate and pH. This will allow you to make sure the water in your aquarium is not causing welfare problems for your jawfish and dartfish.

Maintain...

the water in the aquarium within the accepted parameters highlighted above. You may need to do regular water changes to achieve this.

Never siphon by mouth...

A fish tank can harbour bacteria which can be harmful if swallowed. Buy a specially

Establish a routine...

for testing the water in your aquarium. Record your results to enable you to identify fluctuations quickly. Also check the temperature of the water.

Always wash your hands...

making sure to rinse off all soap residues, before putting them into your aquarium, or use long sleeved rubber gloves. Wash your hands again afterwards and certainly before eating, drinking or smoking.



Sept 2022

www.ornamentalfish.org info@ornamentalfish.org

Copyright: OATA, Wessex House, Station Road, Westbury, Wiltshire, BA13 3JN

designed aquarium gravel cleaner which can be started or primed without the need to place the siphon in your mouth

Five Welfare Needs Checklist:

The Animal Welfare Act 2006 states that all pet owners have a legal duty of care to their pets. Anyone who is cruel to an animal or is found not to be providing the five animal welfare needs, as listed below, can be prosecuted.

- ▶ A **suitable environment** e.g. appropriately sized tank (with water heater if tropical set up) within a suitable location in your home.
- ▶ A **suitable diet** which meets the needs of your chosen fish.
- ▶ **Behaviour** - Fish are able to exhibit their normal behaviour e.g. hiding places for timid fish, enough room for fish to swim freely.
- ▶ **Companionship** - Ensure you know whether your chosen fish need to be kept with, or apart from, other fish.
- ▶ **Health** - Protected from pain, injury, suffering & disease e.g. you are aware of the daily, weekly and monthly maintenance that your aquarium will need.

- ▶ **Water quality test kits are a necessity not an optional extra**
- ▶ **You must be prepared to look after your fish properly for the duration of their life and provide an aquarium which can accommodate your fish when fully grown**



*Never release your aquarium animals or plants into the wild. It is illegal and for most fish species this will lead to an untimely and possibly lingering death. Any animals or plants that do survive might be harmful to our native countryside. Take care to properly dispose of any soiled substrate (e.g. sand or gravel) water or decorations so that non-native organisms do not enter natural watercourses.

Visit ornamentalfish.org to find a full range of how to guides and species-specific care sheets to help you look after your fish successfully.



Sept 2022

www.ornamentalfish.org info@ornamentalfish.org

Copyright: OATA, Wessex House, Station Road, Westbury, Wiltshire, BA13 3JN