

## Tropical Marine Fish

### How to care for tangs & rabbitfish

Tangs and rabbitfish are popular aquarium inhabitants due to their bright colours. Tangs are from the *Acanthuridae* family, and rabbitfish are from the *Siganidae* family. Both are found on coral reefs all over the world. Tangs and rabbitfish make excellent aquarium inhabitants, provided they are kept in an adequately sized aquarium and their needs are met. Always consult your OATA retailer before purchasing any tang or rabbitfish to ensure they will mix with current tank mates.



### Water requirements

Tangs and rabbitfish are usually undemanding of water chemistry and their suggested parameters are shown below. These parameters are a general guide for this group of fish, so it is important to check with your OATA retailer for any species-specific requirements before purchasing. Please also note that if keeping these fish in a reef aquarium, some parameters will need to be altered to accommodate more sensitive species.

Salinity:	Between 1.020-1.025
Temperature:	Between 24-26°C
pH:	7.9-8.3
Ammonia:	Zero mg per litre
Nitrite:	Zero mg per litre
Nitrate:	Not to exceed 50 mg per litre
Carbonate hardness:	Hard (8-12°dkH)
Calcium:	Between 380-450 ppm
Magnesium:	Between 1250-1350 ppm

### Biology

Popular tang species include the yellow (*Zebrasoma flavescens*), regal (*Paracanthurus hepatus*) and naso (*Naso lituratus*) tang. Popular rabbitfish species include the foxface (*Siganus vulpinus*) and magnificent foxface (*Siganus magnificus*). Most tangs and rabbitfish vary in size and shape. Some tangs are “taller” than they are long, whereas others are more traditionally shaped and can grow up to 40cm. Rabbitfish generally remain smaller and are unlikely to exceed 30cm. Regardless of species, these fish can live for many years in a well-matured set up with good water quality. In the wild they spend much of their time swimming around the reef grazing on algae.



Sept 2022

[www.ornamentalfish.org](http://www.ornamentalfish.org) [info@ornamentalfish.org](mailto:info@ornamentalfish.org)

Copyright: OATA, Wessex House, Station Road, Westbury, Wiltshire, BA13 3JN

Care should be taken when handling tangs or rabbitfish. Tangs have sharp modified scales near the tail which resembles a scalpel and can inflict injuries on humans. Some species may have venom glands at the base of these. Rabbitfish have a venomous spine on their dorsal fin which can also cause harm to humans. For more information, please see our [Hazardous Aquatic Animals](#) guidance. Please read this guidance so that you are aware of what actions to take should you or anyone else be harmed by these species. It is best practice to have a sign on the front or lid of the aquarium, warning people what hazardous species are in the aquarium and the risks they pose.

It can be very difficult to identify the sex of tangs and rabbitfish unless they are in breeding condition. In the wild, they often live in shoals and this can be replicated in aquariums provided they are large enough. Groups should have at least 6 individuals of the same species to help distribute aggression. If a group cannot be kept, tangs and rabbitfish should be kept singly to avoid bullying of smaller or less dominant individuals. Always ask your OATA retailer before adding to your aquarium.

## Aquarium requirements

As a general rule, you should within reason buy an aquarium as large as possible. It is recommended that an aquarium of at least 300 litres is used for a single individual under 20cm. Larger and more active species will need a larger aquarium. A larger aquarium will also provide more stability to environmental conditions such as temperature and water quality. Whatever the size, **a filter is essential**. For marine set-ups this can be in the form of live rock with sufficient water flow, an internal or external filter, or a sump-based filter. A protein skimmer can also be beneficial for maintaining water quality as it will help to remove dissolved organic waste before it can break down into more harmful substances.

Tangs and rabbitfish are relatively undemanding in terms of aquarium décor. However, live or artificial rockwork is recommended to provide cover and an opportunity for this fish to behave naturally. A thin layer of coral sand (approximately 2cm) is useful to make tangs and rabbitfish feel secure and to maintain carbonate hardness levels. There should be a moderate water flow to provide good surface movement and to ensure detritus doesn't accumulate. A lid or cover is essential as these fish can jump, especially if startled.

A heater is required to maintain a suitable temperature all year round. To minimise fluctuations in water temperature, the aquarium should not be situated near any draughts or heat sources. It should also be out of direct sunlight and away from loud noises, vibrations and sudden movements. Overhead tank lighting is recommended to maintain a correct day-night cycle. This will not need to be particularly bright for tangs and rabbitfish alone but may need to be brighter if keeping with coral species - see our coral care sheets for more information.



Sept 2022

[www.ornamentalfish.org](http://www.ornamentalfish.org) [info@ornamentalfish.org](mailto:info@ornamentalfish.org)

Copyright: OATA, Wessex House, Station Road, Westbury, Wiltshire, BA13 3JN

**Water testing kits are essential** so that water quality can be checked on a regular basis (once a week) to ensure it does not slip below the water requirements stated above.

## Introducing your fish

Before adding any fish, seek advice from your OATA retailer to make sure that your aquarium is an appropriate size for the tang or rabbitfish you would like to keep. Check that the water quality in your aquarium is suitable i.e. levels of ammonia and nitrite are zero. Only increase the number of fish you have in your aquarium slowly as the population of beneficial bacteria established when maturing your aquarium filter need to increase every time more fish are added and feeding increases. Overstocking or stocking your aquarium too quickly can result in 'new tank syndrome'. This occurs when there are not enough nitrifying bacteria to cope with the increased waste from the fish, leading to unhealthy levels of ammonia and nitrite, which may cause fish to become ill or die.

Healthy fish have clear bright eyes, undamaged fins, intact scales, no ulcerations or bumps, appropriate swimming behaviour and steady breathing. Do not purchase a seemingly healthy fish if sickly fish are present in the tank with it. Signs of disease can include clamped fins, flicking against gravel or décor and shimmying (shaking). Diseases can be easily carried by fish that do not show any clinical signs. If in doubt, ask your OATA retailer for advice as they will have in-depth knowledge and experience.

Your OATA retailer will usually sell your fish to you in a plastic bag, Try not to keep them in this for too long. Once purchased, take your new fish home as quickly as possible because fish are easily stressed by bright lights, extreme temperatures, noise and movement.

Once home, your fish will need to acclimatise to their new environment and a common method of doing this is known as the 'floating bag' method. Switch off the aquarium lights and take the bag containing your new fish out of its outer wrappings carefully, avoiding exposure to bright light. Float the bag in the water of your tank to ensure the temperature in the bag is the same as the aquarium water. After 10 minutes, slowly introduce small amounts of aquarium water into the bag containing the fish for up to 30 minutes. Once complete, carefully release the fish into the aquarium whilst introducing as little bag water into the aquarium as possible. This is especially important if keeping fish with any invertebrate species as some retailers run copper in their systems, which is toxic to invertebrates. After this, dispose of the bag and any excess water appropriately.

For sensitive species or to ensure retailer water does not enter your aquarium, a better method might be the use of drip acclimation. This could be achieved by keeping the fish in the container in which it is sold and a small airline siphon started to drip water into the container, slowly changing the water parameters to that of the aquarium. Ensure that the temperature does not fall too low during this procedure. Once conditions match,



Sept 2022

[www.ornamentalfish.org](http://www.ornamentalfish.org) [info@ornamentalfish.org](mailto:info@ornamentalfish.org)

Copyright: OATA, Wessex House, Station Road, Westbury, Wiltshire, BA13 3JN

carefully net the fish from the container into the aquarium. Dispose of the water in the transport container appropriately. Monitor your new fish carefully for the first week, paying particular attention to water quality. If in doubt, contact your OATA retailer for advice.

If possible, quarantining new livestock in a separate aquarium for at least a week before they enter the main tank can help reduce any risk of disease spread from new inhabitants. Ask your OATA retailer for advice on this topic.

## Maintenance

At least once every week, a partial water change of 25% is strongly recommended (a siphon device is useful to remove solid waste from the gravel). Filters should be well maintained, with regular checking and cleaning to prevent blockages. If the filter needs cleaning, do not run it under the tap because any chlorine or chloramine present may kill the beneficial bacterial population that has established in the media. Instead, it should be rinsed lightly in the tank water which is removed during a partial water change as this reduces the amount of bacteria which are lost. Protein skimmers should be regularly cleaned to maintain their performance.

Good husbandry is essential as tangs and rabbitfish can be stressed by even the smallest amounts of ammonia and nitrite which may then cause them to develop various diseases. Test the water to monitor the ammonia, nitrite and nitrate levels, together with pH and carbonate hardness every week, especially during initial set-up and after adding extra fish. It is also important to regularly monitor salinity and use reverse osmosis water to replace any water lost through evaporation.

## What to watch out for

All fish will have slight variations in their behaviour or appearance, but keeping an eye on any changes in the following will help to identify any potential problems before they become a real health issue:

- ▶ swimming behaviour – hanging at the surface, sitting on the bottom or erratic swimming
- ▶ colour – turning a darker or paler colour than normal
- ▶ temperament – changes in level of aggression or hiding more than normal
- ▶ breathing – gill covers moving at a slower or faster rate than normal
- ▶ appearance – development of white spots or fluffy growths, loss of fins or scales
- ▶ condition – increase or decrease in body weight and condition
- ▶ feeding – reduced intake or lack of interest in food

Some tangs can be more prone to disease caused by ‘white spot’ parasites than other fish. Therefore, it is important to be vigilant for any “flashing” behaviour or the development of small white spots on the skin. The sooner a parasite problem is



Sept 2022

[www.ornamentalfish.org](http://www.ornamentalfish.org) [info@ornamentalfish.org](mailto:info@ornamentalfish.org)

Copyright: OATA, Wessex House, Station Road, Westbury, Wiltshire, BA13 3JN

diagnosed, the better the chances are of successful treatment. If you are concerned about the health of any of your livestock, then test your water quality and contact your OATA retailer for further guidance.

## Feeding

Both tangs and rabbitfish are mainly herbivores. Their diet should reflect this and should contain foods high in algae such as nori sheets, algae-based flake and grazing tabs. It is important that enough algal based foods are provided or they may become ill. They will also eat small meaty frozen feeds such as mysis shrimp, enriched brine shrimp or krill.

Tangs and rabbitfish should only be fed what they can eat within a few minutes, twice a day. Foods such as algae sheets or grazing tabs will need a longer time in the aquarium as fish graze on them. Take care not to overfeed as this can lead to a build-up of uneaten food which breaks down releasing toxic waste into the water. If in doubt, ask your OATA retailer for advice on appropriate feeding levels.

## Compatibility

Tangs and rabbitfish species can be mixed, provided they do not look too similar. Both are active and should not be mixed with shy species. Angelfish, damsels and some butterflyfish will make good tank-mates. Tangs with similar body shapes should be added simultaneously and towards the end of stocking an aquarium as they can be territorial and may bully any new additions. Always ask your OATA retailer before adding tangs or rabbitfish into your aquarium.

## Breeding

Breeding tangs and rabbitfish in the home aquarium is unlikely, although specialist facilities have achieved this. The pair produce sperm and eggs which mix in the water column as the fish swim upwards together. The fertilised eggs remain in the plankton until they develop into larvae, when they require microscopic food to grow. In a home aquarium, the eggs are likely to be sucked into filters and pumps or be eaten by aquarium inhabitants. If any eggs develop into larvae, it is unlikely the required food would be present in the aquarium.

## Checklist

Before purchase make sure:

1. You have the appropriate equipment and position for the aquarium.
2. You have researched all the species in which you are interested and your final choices are all compatible.
3. You are familiar with how to transport and release your fish.



Sept 2022

[www.ornamentalfish.org](http://www.ornamentalfish.org) [info@ornamentalfish.org](mailto:info@ornamentalfish.org)

Copyright: OATA, Wessex House, Station Road, Westbury, Wiltshire, BA13 3JN

4. You are aware of the daily, weekly and monthly maintenance your aquarium will require.
5. You are prepared to look after your fish properly for the duration of their life.

## Shopping List

- ▶ Glass or acrylic aquarium
- ▶ Filter\*
- ▶ Heater\*
- ▶ Lighting\*
- ▶ Gravel or sand
- ▶ Aquarium salt and a hydrometer or refractometer
- ▶ Access to reverse osmosis water or a reverse osmosis unit
- ▶ Water testing kits (ideally ammonia, nitrite, nitrate, pH and water hardness)
- ▶ Gravel cleaner/siphon cleaning device (recommended)
- ▶ Aquarium decorations
- ▶ Bucket for water changes
- ▶ Live or artificial rock
- ▶ Protein skimmer\* (optional but recommended)
- ▶ Ultraviolet steriliser (optional but recommended)

\*may be included in branded aquarium sets but can be purchased separately.

## Before purchase make sure:

- ▶ The aquarium is of a suitable size that ideally can accommodate the fish once they are fully grown
- ▶ Water parameters are as advised in this leaflet.

## Always buy...

test kits and regularly check the water for ammonia, nitrite, nitrate and pH. This will allow you to make sure the water in your aquarium is not causing welfare problems for your tangs and rabbitfish.

## Maintain...

the water in the aquarium within the accepted parameters highlighted above. You may need to do regular water changes to achieve this.

## Never siphon by mouth...

A fish tank can harbour bacteria which can be harmful if swallowed. Buy a specially

## Establish a routine...

for testing the water in your aquarium. Record your results to enable you to highlight fluctuations quickly. Also check the temperature of the water.

## Always wash your hands...

making sure to rinse off all soap residues, before putting them into your aquarium, or use long sleeved rubber gloves. Wash your hands again afterwards and certainly before eating, drinking or smoking.



Sept 2022

[www.ornamentalfish.org](http://www.ornamentalfish.org) [info@ornamentalfish.org](mailto:info@ornamentalfish.org)

Copyright: OATA, Wessex House, Station Road, Westbury, Wiltshire, BA13 3JN



designed aquarium gravel cleaner which can be started or primed without the need to place the siphon in your mouth

### Five Welfare Needs Checklist:

The Animal Welfare Act 2006 states that all pet owners have a legal duty of care to their pets. Anyone who is cruel to an animal or is found not to be providing the five animal welfare needs, as listed below, can be prosecuted.

- ▶ A **suitable environment** e.g. appropriately sized tank (with water heater if tropical set up) within a suitable location in your home.
- ▶ A **suitable diet** which meets the needs of your chosen fish.
- ▶ **Behaviour** - Fish are able to exhibit their normal behaviour e.g. hiding places for timid fish, enough room for fish to swim freely.
- ▶ **Companionship** - Ensure you know whether your chosen fish need to be kept with, or apart from, other fish.
- ▶ **Health** - Protected from pain, injury, suffering & disease e.g. you are aware of the daily, weekly and monthly maintenance that your aquarium will need.

- ▶ **Water quality test kits are a necessity not an optional extra**
- ▶ **You must be prepared to look after your fish properly for the duration of their life and provide an aquarium which can accommodate your fish when fully grown**



\*Never release your aquarium animals or plants into the wild. It is illegal and for most fish species this will lead to an untimely and possibly lingering death. Any animals or plants that do survive might be harmful to our native countryside. Take care to properly dispose of any soiled substrate (e.g. sand or gravel) water or decorations so that non-native organisms do not enter natural watercourses.

Visit [ornamentalfish.org](http://ornamentalfish.org) to find a full range of how to guides and species-specific care sheets to help you look after your fish successfully.



Sept 2022

[www.ornamentalfish.org](http://www.ornamentalfish.org) [info@ornamentalfish.org](mailto:info@ornamentalfish.org)

Copyright: OATA, Wessex House, Station Road, Westbury, Wiltshire, BA13 3JN